



A Member of Cayuga Health System

### Laboratory Technical Bulletin

Date: 7/22/2021

Effective Date: 8/3/2021

Title: Reportable Range Changes

Test: Albumin, Uric Acid, Total Bilirubin, Alcohol, HDL Cholesterol, Urine Total Protein, Urine Creatinine

Explanation of change: The reportable ranges for the tests below will change following results from the laboratory's biannual linearity study.

Test	Old Reportable Range	New Reportable Range
Albumin	1.5-6.0 g/dL	1.7-6.0 g/dL
Uric Acid	1.5-28.0 mg/dL	1.7-28.0 mg/dL
Total Bilirubin	0.0-29.0 mg/dL	0.1-25.0 mg/dL
Alcohol	10-600 mg/dL	13-600 mg/dL
HDL Cholesterol	2.5-150 mg/dL	4.2-150 mg/dL
Urine Total Protein	4-200 mg/dL	5-200 mg/dL
Urine Creatinine	0-295 mg/dL	1-295 mg/dL

  
 \_\_\_\_\_ Date 07/23/21  
 Dr. Elizabeth Plocharczyk, Laboratory Medical Director

  
 \_\_\_\_\_ Date 7/23/21  
 Patricia Lindquist, Assistant Technical Director

  
 \_\_\_\_\_ Date 7/23/2021  
 Kristen Burns, Core Laboratory Manager